

A

Seminar report

On

ELECTRONIC WASTE MANAGEMENT

Submitted in partial fulfillment of the requirement for the award of degree
Of MBA

SUBMITTED TO:

www.studymafia.org

SUBMITTED BY:

www.studymafia.org

Acknowledgement

I would like to thank respected Mr..... and Mr.for giving me such a wonderful opportunity to expand my knowledge for my own branch and giving me guidelines to present a seminar report. It helped me a lot to realize of what we study for.

Secondly, I would like to thank my parents who patiently helped me as i went through my work and helped to modify and eliminate some of the irrelevant or un-necessary stuffs.

Thirdly, I would like to thank my friends who helped me to make my work more organized and well-stacked till the end.

Next, I would thank Microsoft for developing such a wonderful tool like MS Word. It helped my work a lot to remain error-free.

Last but clearly not the least, I would thank The Almighty for giving me strength to complete my report on time.

www.studymafia.org

Preface

I have made this report file on the topic **ELECTRONIC WASTE MANAGEMENT**; I have tried my best to elucidate all the relevant detail to the topic to be included in the report. While in the beginning I have tried to give a general view about this topic.

My efforts and wholehearted co-corporation of each and everyone has ended on a successful note. I express my sincere gratitude towho assisting me throughout the preparation of this topic. I thank him for providing me the reinforcement, confidence and most importantly the track for the topic whenever I needed it.

www.studymafia.org

Content

- INTRODUCTION
- WHAT IS E-WASTE?
- EFFECTS ON ENVIRONMENT AND HUMAN HEALTH
- BASEL CONVENTION
- MANAGEMENT OF E-WASTE
- CONCLUSION
- REFERENCES

WWW.Studymafia.Org

INTRODUCTION

Industrial revolution followed by the advances in information technology during the last century has radically changed people's lifestyle. Although this development has helped the human race, mismanagement has led to new problems of contamination and pollution. The technical prowess acquired during the last century has posed a new challenge in the management of wastes. For example, personal computers (PCs) contain certain components, which are highly toxic, such as chlorinated and brominated substances, toxic gases, toxic metals, biologically active materials, acids, plastics and plastic additives. The hazardous content of these materials pose an environmental and health threat. Thus proper management is necessary while disposing or recycling ewastes.

These days computer has become most common and widely used gadget in all kinds of activities ranging from schools, residences, offices to manufacturing industries. E-toxic components in computers could be summarized as circuit boards containing heavy metals like lead & cadmium; batteries containing cadmium; cathode ray tubes with lead oxide & barium; brominated flame-retardants used on printed circuit boards, cables and plastic casing; poly vinyl chloride (PVC) coated copper cables and plastic computer casings that release highly toxic dioxins & furans when burnt to recover valuable metals; mercury switches; mercury in flat screens; poly chlorinated biphenyl's (PCB's) present in older capacitors; transformers; etc. Basel Action Network (BAN) estimates that the 500 million computers in the world contain 2.87 billion kgs of plastics, 716.7 million kgs of lead and 286,700 kgs of mercury. The average 14-inch monitor uses a tube that contains an estimated 2.5 to 4 kgs of lead. The lead can seep into the ground water from landfills thereby contaminating it. If the tube is crushed and burned, it emits toxic fumes into the air.

What is E-waste?

"E-waste" is a popular, informal name for electronic products nearing the end of their "useful life. "E-wastes are considered dangerous, as certain components of some electronic products contain materials that are hazardous, depending on their condition and density. The hazardous content of these materials pose a threat to human health and environment. Discarded computers, televisions, VCRs, stereos, copiers, fax machines, electric lamps, cell phones, audio equipment and batteries if improperly disposed can leach lead and other substances into soil and groundwater. Many of these products can be reused, refurbished, or recycled in an environmentally sound manner so that they are less harmful to the ecosystem. This paper highlights the hazards of e-wastes, the need for its appropriate management and options that can be implemented.

EFFECTS ON ENVIRONMENT AND HUMAN HEALTH

Disposal of e-wastes is a particular problem faced in many regions across the globe. Computer wastes that are landfilled produces contaminated leachates which eventually pollute the groundwater. Acids and sludge obtained from melting computer chips, if disposed on the ground causes acidification of soil. For example, Guiyu, Hong Kong a thriving area of illegal e-waste recycling is facing acute water shortages due to the contamination of water resources.

This is due to disposal of recycling wastes such as acids, sludges etc. in rivers. Now water is being transported from faraway towns to cater to the demands of the population. Incineration of e-wastes can emit toxic fumes and gases, thereby polluting the surrounding air. Improperly monitored landfills can cause environmental hazards. Mercury will leach when certain electronic devices, such as circuit breakers are destroyed. The same is true for polychlorinated biphenyls (PCBs) from condensers. When brominated flame retardant plastic or cadmium containing plastics are landfilled, both polybrominated diphenyl ethers (PBDE) and cadmium may leach into the soil and groundwater. It has been found that significant amounts of lead ion are dissolved from broken lead containing glass, such as the cone glass of cathode ray tubes, gets mixed with acid waters and are a common occurrence in landfills.

Not only does the leaching of mercury poses specific problems, the vaporization of metallic mercury and dimethylene mercury, both part of Waste Electrical and Electronic Equipment (WEEE) is also of concern. In addition, uncontrolled fires may arise at landfills and this could be a frequent occurrence in many countries. When exposed to fire, metals and other chemical substances, such as the extremely toxic dioxins and furans (TCDD tetrachloro dibenzo-dioxin, PCDDs-polychlorinated dibenzodioxins, PBDDs-polybrominated dibenzo-dioxin and PCDFs-polychlorinated dibenzo furans) from halogenated flame retardant products and PCB containing condensers can be emitted. The most dangerous form of burning e-waste is the open-air burning of plastics in order to recover copper and other metals. The toxic fall-out from open air burning affects both the local environment and broader global air currents, depositing highly toxic by products in many places throughout the world.

Table I summarizes the health effects of certain constituents in e-wastes. If these electronic items are discarded with other household garbage, the toxics pose a threat to both health and vital components of the ecosystem. In view of the ill-effects of hazardous wastes to both environment and health, several countries exhorted the need for a global agreement to address the problems and challenges posed by hazardous waste. Also, in the late 1980s, a tightening of environmental regulations in industrialized countries led to a dramatic rise in the cost of hazardous waste disposal. Searching for cheaper ways to get rid of the wastes, "toxic traders" began shipping hazardous waste to developing countries. International outrage following these irresponsible activities led to the drafting and adoption of strategic plans and regulations at the Basel Convention. The Convention secretariat, in Geneva, Switzerland, facilitates and implementation of the Convention and related agreements. It also provides assistance and guidelines on legal and technical issues, gathers statistical data, and conducts training on the proper management of hazardous waste.

BASEL CONVENTION

The fundamental aims of the Basel Convention are the control and reduction of transboundary movements of hazardous and other wastes including the prevention and minimization of their generation, the environmentally sound management of such wastes and the active promotion of the transfer and use of technologies.

A Draft Strategic Plan has been proposed for the implementation of the Basel Convention. The Draft Strategic Plan takes into account existing regional plans, programmes or strategies, the decisions of the Conference of the Parties and its subsidiary bodies, ongoing project activities and process of international environmental governance and sustainable development. The Draft requires action at all levels of society: training, information, communication, methodological tools, capacity building with financial support, transfer of know-how, knowledge and sound, proven cleaner technologies and processes to assist in the concrete implementation of the Basel Declaration. It also calls for the effective involvement and coordination by all concerned stakeholders as essential for achieving the aims of the Basel Declaration within the approach of common but differentiated responsibility.

Table I: Effects of E-Waste constituent on health

Source of e-wastes	Constituent	Health effects
Solder in printed circuit boards, glass panels and gaskets in computer monitors	Lead (PB)	<ul style="list-style-type: none"> • Damage to central and peripheral nervous systems, blood systems and kidney damage. • Affects brain development of children.
Chip resistors and semiconductors	Cadmium (CD)	<ul style="list-style-type: none"> • Toxic irreversible effects on human health. • Accumulates in kidney and liver. • Causes neural damage. • Teratogenic.
Relays and switches, printed circuit boards	Mercury (Hg)	<ul style="list-style-type: none"> • Chronic damage to the brain. • Respiratory and skin disorders due to bioaccumulation in fishes.
Corrosion protection of untreated and galvanized steel plates, decorator or hardner for steel housings	Hexavalent chromium (Cr) VI	<ul style="list-style-type: none"> • Asthmatic bronchitis. • DNA damage.
Cabling and computer housing	Plastics including PVC	Burning produces dioxin. It causes <ul style="list-style-type: none"> • Reproductive and developmental problems;

		<ul style="list-style-type: none"> • Immune system damage; • Interfere with regulatory hormones
Plastic housing of electronic equipments and circuit boards.	Brominated flame retardants (BFR)	<ul style="list-style-type: none"> • Disrupts endocrine system functions
Front panel of CRTs	Barium (Ba)	<p>Short term exposure causes:</p> <ul style="list-style-type: none"> • Muscle weakness; • Damage to heart, liver and spleen.
Motherboard	Beryllium (Be)	<ul style="list-style-type: none"> • Carcinogenic (lung cancer) • Inhalation of fumes and dust. Causes chronic beryllium disease or beryllicosis. • Skin diseases such as warts.

A set of interrelated and mutually supportive strategies are proposed to support the concrete implementation of the activities is described below:

1. To involve experts in designing communication tools for creating awareness at the highest level to promote the aims of the Basel Declaration on environmentally sound management and the ratification and implementation of the Basel Convention, its amendments and protocol with the emphasis on the short-term activities.
2. To engage and stimulate a group of interested parties to assist the secretariat in exploring fund raising strategies including the preparation of projects and in making full use of expertise in non-governmental organizations and other institutions in joint projects.
3. To motivate selective partners among various stakeholders to bring added value to making progress in the short-term.
4. To disseminate and make information easily accessible through the internet and other electronic and printed materials on the transfer of know-how, in particular through Basel Convention Regional Centers (BCRCs).
5. To undertake periodic review of activities in relation to the agreed indicators;
6. To collaborate with existing institutions and programmes to promote better use of cleaner technology and its transfer, methodology, economic instruments or policy to facilitate or support capacity-building for the environmentally sound management of hazardous and other wastes.

The Basel Convention brought about a respite to the transboundary movement of hazardous waste. India and other countries have ratified the convention. However United States (US) is not a party to the ban and is responsible for disposing hazardous waste, such as, e-waste to Asian countries even today. Developed countries such as US should enforce stricter legislations in their own country for the prevention of this horrifying act.

In the European Union where the annual quantity of electronic waste is likely to double in the next 12 years, the European Parliament recently passed legislation that will require manufacturers to take back their electronic products when consumers discard them. This is called Extended Producer Responsibility. It also mandates a timetable for phasing out most toxic substances in electronic products.

MANAGEMENT OF E-WASTE

It is estimated that 75% of electronic items are stored due to uncertainty of how to manage it. These electronic junks lie unattended in houses, offices, warehouses etc. and normally mixed with household wastes, which are finally disposed off at landfills. This necessitates implementable management measures.

In industries management of e-waste should begin at the point of generation. This can be done by waste minimization techniques and by sustainable product design. Waste minimization in industries involves adopting:

- inventory management,
- production-process modification,
- volume reduction,
- recovery and reuse.

Inventory management

Proper control over the materials used in the manufacturing process is an important way to reduce waste generation (Freeman, 1989). By reducing both the quantity of hazardous materials used in the process and the amount of excess raw materials in stock, the quantity of waste generated can be reduced. This can be done in two ways i.e. establishing material-purchase review and control procedures and inventory tracking system.

Developing review procedures for all material purchased is the first step in establishing an inventory management program. Procedures should require that all materials be approved prior to purchase. In the approval process all production materials are evaluated to examine if they contain hazardous constituents and whether alternative non-hazardous materials are available.

Another inventory management procedure for waste reduction is to ensure that only the needed quantity of a material is ordered. This will require the establishment of a strict inventory tracking system. Purchase procedures must be implemented which ensure that materials are ordered only on an as-needed basis and that only the amount needed for a specific period of time is ordered.

Production-process modification

Changes can be made in the production process, which will reduce waste generation. This reduction can be accomplished by changing the materials used to make the product or by the more efficient use of input materials in the production process or both. Potential waste minimization techniques can be broken down into three categories:

- i) Improved operating and maintenance procedures,
- ii) Material change and
- iii) Process-equipment modification.

Improvements in the operation and maintenance of process equipment can result in significant waste reduction. This can be accomplished by reviewing current operational procedures or lack of procedures and examination of the production process for ways to improve its efficiency. Instituting standard operation procedures can optimise the use of raw materials in the production process and reduce the potential for materials to be lost through leaks and spills. A strict maintenance program, which stresses corrective maintenance, can reduce waste generation caused by equipment failure. An employee-training program is a key element of any waste reduction program. Training should include correct operating and handling procedures, proper equipment use, recommended maintenance and inspection schedules, correct process control specifications and proper management of waste materials.

Hazardous materials used in either a product formulation or a production process may be replaced with a less hazardous or non-hazardous material. This is a very widely used technique and is applicable to most manufacturing processes. Implementation of this waste reduction technique may require only some minor process adjustments or it may require extensive new process equipment. For example, a circuit board manufacturer can replace solvent-based product with water-based flux and simultaneously replace solvent vapor degreaser with detergent parts washer.

Installing more efficient process equipment or modifying existing equipment to take advantage of better production techniques can significantly reduce waste generation. New or updated equipment can use process materials more efficiently producing less waste. Additionally such efficiency reduces the number of rejected or off-specification products, thereby reducing the amount of material which has to be reworked or disposed of. Modifying existing process equipment can be a very cost-effective method of reducing waste generation. In many cases the modification can just be relatively simple changes in the way the materials are handled within the process to ensure that they are not wasted. For example, in many electronic manufacturing operations, which involve coating a product, such as electroplating or painting, chemicals are used to strip off coating from rejected products so that they can be recoated. These chemicals, which can include acids, caustics, cyanides etc are often a hazardous waste and must be properly managed. By reducing the number of parts that have to be reworked, the quantity of waste can be significantly reduced.

Volume reduction

Volume reduction includes those techniques that remove the hazardous portion of a waste from a non-hazardous portion. These techniques are usually to reduce the volume, and thus the cost of disposing of a waste material. The techniques that can be used to reduce waste-stream volume can be divided into 2 general categories: source segregation and waste concentration. Segregation of wastes is in many cases a simple and economical technique for waste reduction.

Wastes containing different types of metals can be treated separately so that the metal value in the sludge can be recovered. Concentration of a waste stream may increase the likelihood that the material can be recycled or reused. Methods include gravity and vacuum filtration, ultra filtration, reverse osmosis, freeze vaporization etc.

For example, an electronic component manufacturer can use compaction equipments to reduce volume of waste cathode ray-tube.

Recovery and reuse

This technique could eliminate waste disposal costs, reduce raw material costs and provide income from a salable waste. Waste can be recovered on-site, or at an off-site recovery facility, or through inter industry exchange. A number of physical and chemical techniques are available to reclaim a waste material such as reverse osmosis, electrolysis, condensation, electrolytic recovery, filtration, centrifugation etc. For example, a printed-circuit board manufacturer can use electrolytic recovery to reclaim metals from copper and tin-lead plating bath.

However recycling of hazardous products has little environmental benefit if it simply moves the hazards into secondary products that eventually have to be disposed of. Unless the goal is to redesign the product to use nonhazardous materials, such recycling is a false solution.

Sustainable product design

Minimization of hazardous wastes should be at product design stage itself keeping in mind the following factors*

- *Rethink the product design:* Efforts should be made to design a product with fewer amounts of hazardous materials. For example, the efforts to reduce material use are reflected in some new computer designs that are flatter, lighter and more integrated. Other companies propose centralized networks similar to the telephone system.
- *Use of renewable materials and energy:* Bio-based plastics are plastics made with plant-based chemicals or plant-produced polymers rather than from petrochemicals. Bio-based toners, glues and inks are used more frequently. Solar computers also exist but they are currently very expensive.
- *Use of non-renewable materials that are safer:* Because many of the materials used are non-renewable, designers could ensure the product is built for re-use, repair and/or upgradeability. Some computer manufacturers such as Dell and Gateway lease out their products thereby ensuring they get them back to further upgrade and lease out again.

THE PAKISTANI SCENARIO

While the world is marveling at the technological revolution, countries like Pakistan are facing an imminent danger. E-waste of developed countries, such as the US, disposes their wastes to Pakistan and other Asian countries. A recent investigation revealed that much of the electronics

turned over for recycling in the United States ends up in Asia, where they are either disposed of or recycled with little or no regard for environmental or worker health and safety. Major reasons for exports are cheap labour and lack of environmental and occupational standards in Asia and in this way the toxic effluent of the developed nations 'would flood towards the world's poorest nations. The magnitude of these problems is yet to be documented.

It is imperative that developing countries and India in particular wake up to the monopoly of the developed countries and set up appropriate management measures to prevent the hazards and mishaps due to mismanagement of e-wastes.

MANAGEMENT OPTIONS

Considering the severity of the problem, it is imperative that certain management options be adopted to handle the bulk e-wastes. Following are some of the management options suggested for the government, industries and the public.

Responsibilities of the Government

- (i) Governments should set up regulatory agencies in each district, which are vested with the responsibility of co-ordinating and consolidating the regulatory functions of the various government authorities regarding hazardous substances.
- (ii) Governments should be responsible for providing an adequate system of laws, controls and administrative procedures for hazardous waste management (Third World Network. 1991). Existing laws concerning e-waste disposal be reviewed and revamped. A comprehensive law that provides e-waste regulation and management and proper disposal of hazardous wastes is required. Such a law should empower the agency to control, supervise and regulate the relevant activities of government departments.

Under this law, the agency concerned should

- Collect basic information on the materials from manufacturers, processors and importers and to maintain an inventory of these materials. The information should include toxicity and potential harmful effects.
 - Identify potentially harmful substances and require the industry to test them for adverse health and environmental effects.
 - Control risks from manufacture, processing, distribution, use and disposal of electronic wastes.
 - Encourage beneficial reuse of "e-waste" and encouraging business activities that use waste". Set up programs so as to promote recycling among citizens and businesses.
 - Educate e-waste generators on reuse/recycling options
- (iii) Governments must encourage research into the development and standard of hazardous waste management, environmental monitoring and the regulation of hazardous waste-disposal.

(iv) Governments should enforce strict regulations against dumping e-waste in the country by outsiders. Where the laws are flouted, stringent penalties must be imposed. In particular, custodial sentences should be preferred to paltry fines, which these outsiders / foreign nationals can pay.

(v) Governments should enforce strict regulations and heavy fines levied on industries, which do not practice waste prevention and recovery in the production facilities.

(vi) Polluter pays principle and extended producer responsibility should be adopted.

(vii) Governments should encourage and support NGOs and other organizations to involve actively in solving the nation's e-waste problems.

(viii) Uncontrolled dumping is an unsatisfactory method for disposal of hazardous waste and should be phased out.

(viii) Governments should explore opportunities to partner with manufacturers and retailers to provide recycling services.

Responsibility and Role of industries

1. Generators of wastes should take responsibility to determine the output characteristics of wastes and if hazardous, should provide management options.

2. All personnel involved in handling e-waste in industries including those at the policy, management, control and operational levels, should be properly qualified and trained. Companies can adopt their own policies while handling e-wastes. Some are given below:

- Use label materials to assist in recycling (particularly plastics).
- Standardize components for easy disassembly.
- Re-evaluate 'cheap products' use, make product cycle 'cheap' and so that it has no inherent value that would encourage a recycling infrastructure.
- Create computer components and peripherals of biodegradable materials.
- Utilize technology sharing particularly for manufacturing and de manufacturing.
- Encourage / promote / require green procurement for corporate buyers.
- Look at green packaging options.

3. Companies can and should adopt waste minimization techniques, which will make a significant reduction in the quantity of e-waste generated and thereby lessening the impact on the environment. It is a "reverse production" system that designs infrastructure to recover and reuse every material contained within e-wastes metals such as lead, copper, aluminum and gold, and various plastics, glass and wire. Such a "closed loop" manufacturing and recovery system offers a win-win situation for everyone, less of the

Earth will be mined for raw materials, and groundwater will be protected, researchers explain.

4. Manufacturers, distributors, and retailers should undertake the responsibility of recycling/disposal of their own products.

5. Manufacturers of computer monitors, television sets and other electronic devices containing hazardous materials must be responsible for educating consumers and the general public regarding the potential threat to public health and the environment posed by their products. At minimum, all computer monitors, television sets and other electronic devices containing hazardous materials must be clearly labeled to identify environmental hazards and proper materials management.

Responsibilities of the Citizen

Waste prevention is perhaps more preferred to any other waste management option including recycling. Donating electronics for reuse extends the lives of valuable products and keeps them out of the waste management system for a longer time. But care should be taken while donating such items i.e. the items should be in working condition.

Reuse, in addition to being an environmentally preferable alternative, also benefits society. By donating used electronics, schools, non-profit organizations, and lower-income families can afford to use equipment that they otherwise could not afford.

E-wastes should never be disposed with garbage and other household wastes. This should be segregated at the site and sold or donated to various organizations.

While buying electronic products opt for those that:

- are made with fewer toxic constituents
- use recycled content
- are energy efficient
- are designed for easy upgrading or disassembly
- utilize minimal packaging
- offer leasing or take back options
- have been certified by regulatory authorities. Customers should opt for upgrading their computers or other electronic items to the latest versions rather than buying new equipments.

NGOs should adopt a participatory approach in management of e-wastes.

CONCLUSION

Electronic and electrical equipments cannot be avoided in today's world. So also is the case of waste electronic and electrical equipments. As long as this is a necessary evil, it has to be best managed to minimize its adverse impacts on environment. Through innovative changes in product design under EPR, use of environmentally friendly substitutes for hazardous substances, these impacts can be mitigated. A legal framework has to be there for enforcing EPR, RoHS for attaining this goal. Adoption of environmentally sound technologies for recycling and reuse of e-waste along with EPR and RoHS offers workable solution for environmentally sound management of e-waste.

References

- www.google.com
- www.wikipedia.com
- www.studymafia.org

WWW.Studymafia.Org